

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11	physical\$4 same (mov\$3 or replac\$4 or switch\$4 or chang\$4 or substitud\$4) same ((fail\$4 or fault\$4 or malfunction or problem or error\$4 or defect\$4 or flaw\$4) adj router)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 12:17
L3	12	physical\$4 same (mov\$3 or replac\$4 or switch\$4 or chang\$4 or substitud\$4 or disconnect\$4) same ((fail\$4 or fault\$4 or malfunction or problem or error\$4 or defect\$4 or flaw\$4) adj router)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 12:18
L4	1	3 not 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 10:22
L5	1146	(370/351).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 10:49
L6	3668	(370/216-228,255,355,556).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 11:27
L7	625	(709/239).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 11:28
L8	12	(physical\$4 or (cold adj swap\$4)) same (mov\$3 or replac\$4 or switch\$4 or chang\$4 or substitud\$4 or disconnect\$4) same ((fail\$4 or fault\$4 or malfunction or problem or error\$4 or defect\$4 or flaw\$4) adj router)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 12:23
L9	0	8 not 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 12:20

L10	151	((physical\$4 or (cold adj swap\$4)) same (mov\$3 or replac\$4 or switch\$4 or chang\$4 or substitud\$4 or disconnect\$4)) and ((fail\$4 or fault\$4 or malfunction or problem or error\$4 or defect\$4 or flaw\$4) adj router)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 12:24
L11	2252	(backup or back\$1up or (back adj up) or standby or stand\$1by or redundan\$4 or spar\$4 or slave or master or primary or double or two or second\$4 or active or inactive) adj router	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 12:24
L12	14	10 and L11 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 12:25
L13	13	12 not 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 12:32
L14	27	10 and ("714"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 12:33
L15	74	10 and ("370"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 12:35
L16	55	10 and ("709"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 12:35
L17	111	(14 or 15 or 16) not (8 or 13)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 12:37

L18	7880	switch\$4 adj fabric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 12:37
L19	7	17 and L18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 12:37
S1	1935	(backup or back\$1up or (back adj up) or standby or stand\$1by or redundan\$4 or spar\$4 or slave or master or primary or double or two or second\$4) adj router	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 12:14
S2	21791	(backup or back\$1up or (back adj up) or standby or stand\$1by or redundan\$4 or spar\$4 or slave or master or primary or double or two or second\$4) adj processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 12:16
S3	7105	switch\$4 adj fabric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 12:01
S4	129	(replac\$4 or switch\$4 or chang\$4 or substitud\$4) same ((fail\$4 or fault\$4 or malfunction or problem or error\$4 or defect\$4 or flaw\$4) adj router)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 12:07
S5	3	S1 and S2 and S3 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 12:08
S6	2000	(backup or back\$1up or (back adj up) or standby or stand\$1by or redundan\$4 or spar\$4 or slave or master or primary or double or two or second\$4 or active or inactive) adj router	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 12:19

S7	22530	(backup or back\$1up or (back adj up) or standby or stand\$1by or redundan\$4 or spar\$4 or slave or master or primary or double or two or second\$4 or active or inactive or mirror) adj processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 12:17
S8	4	(backup or back\$1up or (back adj up) or standby or stand\$1by or redundan\$4 or spar\$4 or slave or master or primary or double or two or second\$4 or active or inactive) adj router adj card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 12:44
S9	2	(card adj array) same ((backup or back\$1up or (back adj up) or standby or stand\$1by or redundan\$4 or spar\$4 or slave or master or primary or double or two or second\$4 or active or inactive) adj router adj5 card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 13:00
S10	3	S2 and S3 and S4 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 13:30
S11	11	S6 and S7 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 13:57
S12	24	"6266335"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 14:00
S13	12	((("6266335") or ("6754220") or ("5361259") or ("6397260") or ("6556547") or ("20020018477"))). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 14:28
S14	79	S6 and S7 and (("714"/\$.ccls.) or ("370"/\$.ccls.))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 14:30

S15	94	S6 and S7 and (("714"/\$.ccls.) or ("370"/\$.ccls.) or (709/2\$.ccls.))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 14:31
S17	94	S15 and (@AD <"20020109" or RLAD <"20020109" or PRAD <"20020109")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 14:35
S18	10	S17 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 14:35
S19	2	S18 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 14:36
S20	4	S18 and (card or board or array or chasis) near2 router	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 14:37
S21	702	714/43.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 16:55
S22	42	(mitchell-arthur\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 16:56
S23	2176	(backup or back\$1up or (back adj up) or standby or stand\$1by or redundan\$4 or spar\$4 or slave or master or primary or double or two or second\$4) adj router	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 16:57

S24	23001	(backup or back\$1up or (back adj up) or standby or stand\$1by or redundan\$4 or spar\$4 or slave or master or primary or double or two or second\$4) adj processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 16:57
S25	7871	switch\$4 adj fabric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 16:57
S26	15	S23 and S24 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 16:57
S27	149	(replac\$4 or switch\$4 or chang\$4 or substitud\$4) same ((fail\$4 or fault\$4 or malfunction or problem or error\$4 or defect\$4 or flaw\$4) adj router)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 09:56
S28	2250	(backup or back\$1up or (back adj up) or standby or stand\$1by or redundan\$4 or spar\$4 or slave or master or primary or double or two or second\$4 or active or inactive) adj router	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 16:57
S29	23772	(backup or back\$1up or (back adj up) or standby or stand\$1by or redundan\$4 or spar\$4 or slave or master or primary or double or two or second\$4 or active or inactive or mirror) adj processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 16:57
S30	105	S28 and S29 and (("714"/\$.ccls.) or ("370"/\$.ccls.) or (709/2\$.ccls.))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 16:57
S31	105	S30 and (@AD <"20020109" or RLAD <"20020109" or PRAD <"20020109")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 16:57

S32	12	S31 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 16:57
-----	----	-------------	-------------------------------------------------------------------	----	----	------------------



Welcome United States Patent and Trademark Office

[Search Session History](#)
[BROWSE](#)
[SEARCH](#)
[IEEE XPLORE GUIDE](#)
[SUPPORT](#)

Tue, 29 Nov 2005, 12:13:27 PM EST

Edit an existing query or compose a new query in the Search Query Display.

Search Query Display



Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

Results

#1	((physically or (cold swap?)<in>metadata) <and> ((disconnect? or move or moving or chang? or substitud? or replac? or switch?)<in>metadata))<and> (router<in>metadata)		9
#2	((physically or (cold swap?)<in>metadata) <and> ((disconnect? or move or moving or chang? or substitud? or replac? or switch?)<in>metadata))<and> (router<in>metadata)		9
#3	((physically or (cold swap?)<in>metadata) <and> ((disconnect? or move or moving or chang? or substitud? or replac? or switch?)<in>metadata))<and> (router<in>metadata)		9
#4	((physically or (cold swap?)<in>metadata) <and> ((disconnect? or move or moving or chang? or substitud? or replac? or switch?)<in>metadata))<and> (router<in>metadata)		9
#5	((physically or (cold swap?)<in>metadata) <and> ((disconnect? or move or moving or chang? or substitud? or replac? or switch?)<in>metadata))<and> (router<in>metadata)		9
#6	((physically or (cold swap?)<in>metadata) <and> ((disconnect? or move or moving or chang? or substitud? or replac? or switch?)<in>metadata))<and> (router<in>metadata)		9
#7	((physically or (cold swap?)<in>metadata) <and> ((disconnect? or move or moving or chang? or substitud? or replac? or switch?)<in>metadata))<and> (router<in>metadata)		9
#8	((physically or (cold swap?)<in>metadata) <and> ((disconnect? or move or moving or chang? or substitud? or replac? or switch?)<in>metadata))<and> (router<in>metadata)		9
#9	((physically or (cold swap?)<in>metadata) <and> ((disconnect? or move or moving or chang? or substitud? or replac? or switch?)<in>metadata))<and> (router<in>metadata)		9
#10	((physically or (cold swap?)<in>metadata) <and> ((disconnect? or move or moving or chang? or substitud? or replac? or switch?)<in>metadata))<and> (router<in>metadata)		9
#11	(((fail? or fault? or malfunction or problem or error\$4 or defect? or flaw?)<in>metadata) <and> (router<in>metadata))<and> (physically move or physicall replace or physically disconnect or physically substitute <in>metadata)		1
#12	(((fail? or fault? or malfunction or problem or error\$4 or defect? or flaw?)<in>metadata) <and> (router<in>metadata))<and> (physically move or physicall replace or physically disconnect or physically substitute <in>metadata)		1
#13	(((fail? or fault? or malfunction or problem or error\$4 or defect? or flaw?)<in>metadata) <and> (router<in>metadata))<and> (physically move or physicall replace or physically disconnect or physically substitute <in>metadata)		1

(((fail? or fault? or malfunction or problem or error\$4 or defect? or flaw?)

#14 <in>metadata) <and> (router<in>metadata))<and> (physically move or
physicall replace or physically disconnect or physically substitute <in>metadata)

1



Indexed by
Inspec

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2005 IEEE -- All Rights Reserved

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alt](#)

Welcome United States Patent and Trademark Office

Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(((fail? or fault? or malfunction or problem or error\$4 or defect? or flaw?)<in>metadata) &...."

☒ e-mail

Your search matched 1 of 1263585 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

 ☐ Check to search only within this results set

Display Format:



Citation



Citation & Abstract

» Key

IEEE JNL	IEEE Journal or Magazine
IEEE JNL	IEEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEEE CNF	IEEE Conference Proceeding
IEEE STD	IEEE Standard

**1. Systolic routing hardware: performance evaluation and optimization**

Rutenbar, R.A.; Atkins, D.E.;

Computer-Aided Design of Integrated Circuits and Systems, IEEE Transactions on
Volume 7, Issue 3, March 1988 Page(s):397 - 410

Digital Object Identifier 10.1109/43.3173

[AbstractPlus](#) | Full Text: [PDF](#) (1304 KB) [IEEE JNL](#)Indexed by
 Inspec®[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2005 IEEE



Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((physically or (cold swap?)<in>metadata) <and> ((disconnect? or move or moving or c..."

☒ e-mail

Your search matched 9 of 1263585 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

((physically or (cold swap?)<in>metadata) <and> ((disconnect? or move or moving >>

☐ Check to search only within this results set

» Key

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding


IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information:

- ☐ 1. **IP over optical networks: architectural aspects**
 Rajagopalan, B.; Pendarakis, D.; Saha, D.; Ramamoorthy, R.S.; Bala, K.;
 Communications Magazine, IEEE
 Volume 38, Issue 9, Sept. 2000 Page(s):94 - 102
 Digital Object Identifier 10.1109/35.868148
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(2088 KB) IEEE JNL
- ☐ 2. **An Energy-Efficient Reconfigurable Circuit-Switched Network-on-Chip**
 Wolkotte, P.T.; Smit, G.J.M.; Rauwerda, G.K.; Smit, L.T.;
 Parallel and Distributed Processing Symposium, 2005. Proceedings. 19th IEEE International
 04-08 April 2005 Page(s):155a - 155a
 Digital Object Identifier 10.1109/IPDPS.2005.95
[AbstractPlus](#) | Full Text: [PDF](#)(200 KB) IEEE CNF
- ☐ 3. **Memory-bandwidth performance of the sliding-window based routers/switches**
 Kumar, S.; Doganer, T.;
 Local and Metropolitan Area Networks, 2004. LANMAN 2004. The 13th IEEE Workshop on
 25-28 April 2004 Page(s):205 - 210
 Digital Object Identifier 10.1109/LANMAN.2004.1338432
[AbstractPlus](#) | Full Text: [PDF](#)(606 KB) IEEE CNF
- ☐ 4. **Thermal challenges of a compact power entry module with 7,000 W output in a telecom syst**
 Herman Chu;
 Thermal and Thermomechanical Phenomena in Electronic Systems, 2004. IThERM '04. The Ninth
 Conference on
 1-4 June 2004 Page(s):171 - 177 Vol. 1
[AbstractPlus](#) | Full Text: [PDF](#)(1281 KB) IEEE CNF
- ☐ 5. **WDM knockout switch with multi-output-port wavelength-channel selectors**
 Misawa, A.; Sasayama, K.; Yamada, Y.;
 Lightwave Technology, Journal of
 Volume 16, Issue 12, Dec. 1998 Page(s):2212 - 2219
 Digital Object Identifier 10.1109/50.736587
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(216 KB) IEEE JNL
- ☐ 6. **Optimizing profit and performance for multi-homed mobile hotspots**
 Chung, A.Y.T.; Hassan, M.;

Communications, 2005. ICC 2005. 2005 IEEE International Conference on
Volume 2, 16-20 May 2005 Page(s):924 - 928 Vol. 2
Digital Object Identifier 10.1109/ICC.2005.1494485

[AbstractPlus](#) | Full Text: [PDF](#) (119 KB)  CNF



7. RGB: a scalable and reliable group membership protocol in mobile Internet


Guojun Wang; Jiannong Cao; Chan, K.C.C.;
Parallel Processing, 2004. ICPP 2004. International Conference on
2004 Page(s):326 - 333 vol.1
Digital Object Identifier 10.1109/ICPP.2004.1327939

[AbstractPlus](#) | Full Text: [PDF](#) (399 KB)  CNF



8. Seamless mobility support for mobile networks on vehicles across heterogeneous wireless


Eun Kyoung Paik; Yanghee Choi;
Vehicular Technology Conference, 2003. VTC 2003-Spring. The 57th IEEE Semiannual
Volume 4, 22-25 April 2003 Page(s):2437 - 2441 vol.4
Digital Object Identifier 10.1109/VETECS.2003.1208828

[AbstractPlus](#) | Full Text: [PDF](#) (451 KB)  CNF



9. Using mobile agents for off-line communication among mobile hosts in a large, highly-mobi

Bandyopadhyay, S.; Paul, K.;
Personal Wireless Communication, 1999 IEEE International Conference on
17-19 Feb. 1999 Page(s):88 - 92
Digital Object Identifier 10.1109/ICPWC.1999.759591

[AbstractPlus](#) | Full Text: [PDF](#) (780 KB)  CNF



Indexed by


[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2005 IEEE